

Message

**From:** Nonresponsive based on revised scope [REDACTED]@WestonSolutions.com]  
**Sent:** 3/29/2019 7:25:12 PM  
**To:** O'Loughlin, Connor [oloughlin.connor@epa.gov]  
**CC:** Baker, Lorie [Baker.Lorie@epa.gov]  
**Subject:** Fort Meade data validation question

Connor,

## Ex. 5 Deliberative Process (DP)

Nonresponsive based on revised scope [REDACTED]

Principal Project Scientist  
Weston Solutions, Inc.

Nonresponsive based on revised scope [REDACTED]

Nonresponsive based on revised scope [REDACTED]

---

**From:** Sassin, Pepa [mailto:Sassin.Pepa@epa.gov]  
**Sent:** Wednesday, March 27, 2019 1:01 PM  
**To:** Graybill, Eric <graybill.eric@epa.gov>; O'Loughlin, Connor <oloughlin.connor@epa.gov>; Dodd, Jeff <dodd.jeff@epa.gov>; Curry, John <Curry.John@epa.gov>  
**Cc:** Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>; Nonresponsive based on revised scope [REDACTED]@WestonSolutions.com>  
**Subject:** RE: Blades Groundwater - Analytical Documents

**\*\* External Email \*\***

## Ex. 5 Deliberative Process (DP)

---

**From:** Graybill, Eric  
**Sent:** Wednesday, March 27, 2019 12:58 PM  
**To:** O'Loughlin, Connor <oloughlin.connor@epa.gov>; Sassin, Pepa <Sassin.Pepa@epa.gov>; Dodd, Jeff <dodd.jeff@epa.gov>; Curry, John <Curry.John@epa.gov>  
**Cc:** Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>; Nonresponsive based on revised scope [REDACTED]@WestonSolutions.com>  
**Subject:** RE: Blades Groundwater - Analytical Documents

Connor

## Ex. 5 Deliberative Process (DP)

Eric

---

**From:** O'Loughlin, Connor  
**Sent:** Wednesday, March 27, 2019 12:04 PM  
**To:** Sassin, Pepa <Sassin.Pepa@epa.gov>; Dodd, Jeff <dodd.jeff@epa.gov>; Curry, John <Curry.John@epa.gov>; Graybill,

Eric <graybill.eric@epa.gov>

Cc: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>; Nonresponsive based on revised scope @WestonSolutions.com>

**Subject:** Blades Groundwater - Analytical Documents

Thank you all for the having the call earlier. From the discussion it sounded like there were no additional comments to the new final SAP addendum. The addendum included all of the recommendations that we discussed during our meeting last week.

## Ex. 5 Deliberative Process (DP)

I have attached the original FSP and the Addendum. The original FSP has been signed and approved by all parties even though it says draft. I have also included the original ARF and QL tables as well as the PFAS 2009 method that we followed.

I have included the QAPP, but removed the appendices because it would be too large to email. Nonresponsive based on revised scope (Weston) has informed me the QAPP was submitted at the start of the overall contract for START. The current round of samples will be submitted to Test America for analysis this week. If there are any other question please feel free to give me a call.

Thank you

Connor O'Loughlin P.G.  
Environmental Protection Agency, Region III  
Site Assessment Manager, HSCD  
1650 Arch Street,  
Philadelphia, PA 19103-2029  
phone 215-814-3304  
Cell 412-779-0444

---

**From:** Sassin, Pepa

**Sent:** Wednesday, March 27, 2019 8:09 AM

**To:** Dodd, Jeff <dodd.jeff@epa.gov>; O'Loughlin, Connor <oloughlin.connor@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>; Curry, John <Curry.John@epa.gov>; Graybill, Eric <graybill.eric@epa.gov>

**Subject:** RE: Call tomorrow possibly

I am available. Just let me know where we meet, please

---

**From:** Dodd, Jeff

**Sent:** Wednesday, March 27, 2019 8:02 AM

**To:** O'Loughlin, Connor <oloughlin.connor@epa.gov>; Caporale, Cynthia <Caporale.Cynthia@epa.gov>; Curry, John <Curry.John@epa.gov>; Graybill, Eric <graybill.eric@epa.gov>; Sassin, Pepa <Sassin.Pepa@epa.gov>

**Subject:** RE: Call tomorrow possibly

Can we shoot for 9:30 this morning?

*Jeff Dodd*

Facility Manager  
EPA Environmental Science Center  
701 Mapes Road  
Ft. Meade, MD 20755

(410) 305-2654 (W)  
(267) 614-1738 (C)  
(410) 305-3092 (F)  
[dodd.jeff@epa.gov](mailto:dodd.jeff@epa.gov)

---

**From:** O'Loughlin, Connor

**Sent:** Wednesday, March 27, 2019 7:44 AM

**To:** Caporale, Cynthia <[Caporale.Cynthia@epa.gov](mailto:Caporale.Cynthia@epa.gov)>; Curry, John <[Curry.John@epa.gov](mailto:Curry.John@epa.gov)>

**Cc:** Graybill, Eric <[graybill.eric@epa.gov](mailto:graybill.eric@epa.gov)>; Dodd, Jeff <[dodd.jeff@epa.gov](mailto:dodd.jeff@epa.gov)>

**Subject:** RE: Call tomorrow possibly

John,

I am available anytime today until 430. Please give me a call at your convenience. I just wanted to make sure the SAP for the resampling event at the Blades Groundwater Site was in order.

Thank you.

Connor O'Loughlin P.G.  
Environmental Protection Agency, Region III  
Site Assessment Manager, HSCD  
1650 Arch Street,  
Philadelphia, PA 19103-2029  
phone 215-814-3304  
Cell 412-779-0444

---

**From:** Caporale, Cynthia

**Sent:** Tuesday, March 26, 2019 6:11 PM

**To:** Curry, John <[Curry.John@epa.gov](mailto:Curry.John@epa.gov)>; O'Loughlin, Connor <[oloughlin.connor@epa.gov](mailto:oloughlin.connor@epa.gov)>

**Cc:** Graybill, Eric <[graybill.eric@epa.gov](mailto:graybill.eric@epa.gov)>; Dodd, Jeff <[dodd.jeff@epa.gov](mailto:dodd.jeff@epa.gov)>

**Subject:** RE: Call tomorrow possibly

Please include Pepa for this call (cc: me).

---

**From:** Curry, John

**Sent:** Tuesday, March 26, 2019 5:31 PM

**To:** O'Loughlin, Connor <[oloughlin.connor@epa.gov](mailto:oloughlin.connor@epa.gov)>

**Cc:** Graybill, Eric <[graybill.eric@epa.gov](mailto:graybill.eric@epa.gov)>; Caporale, Cynthia <[Caporale.Cynthia@epa.gov](mailto:Caporale.Cynthia@epa.gov)>; Dodd, Jeff <[dodd.jeff@epa.gov](mailto:dodd.jeff@epa.gov)>

**Subject:** Call tomorrow possibly

Hi Mr OLoughlin

Sorry I missed you call, could we setup a call tomorrow to discuss the issues with the Blades site? What would be the best time to reach you? Thanks.

John D. Curry  
Acting Laboratory Branch Chief  
EPA Reg3, OASQA  
Ft. Meade, Md 20755  
410-305-2608

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.